



# StoPox WL 113

# Sustainability

## Data for building certification systems

<b>Deutsche Gesellschaft für Nachhaltiges Bauen e.V. (German Sustainable Building Council, DGNB for short)</b>		
<b>ENV1.2, Version 2018</b>	Product group:	No. 23: EP products for coating mineral surfaces on floors, ceilings, and walls – including in system buildups without special requirements
	Quality level:	Meets quality level 4 – GISCODE RE05, RE10, RE20, RE30, or RE90 and substantiation of emissions in accordance with MVV TB as an individual product or part of a system
<b>ENV1.2, Version 2023</b>	Product group:	No. 23: EP products for coating mineral surfaces on floors, ceilings, and walls – including in system buildups without special requirements
	Quality level:	Meets quality level 4 – GISCODE RE05, RE10, RE20, RE30, or RE90 and substantiation of emissions in accordance with MVV TB as an individual product or part of a system

<b>Qualitätssiegel Nachhaltiges Gebäude (German Quality Label for Sustainable Building, QNG for short)</b>		
<b>Annex document 313 dated 14 September 2023</b>	Product group:	No. 5.8: Synthetic resin screeds and reactive epoxy resin coatings (EP) on mineral floor and wall surfaces (interior and exterior) – including in system buildups
	Quality level:	Met – Synthetic resin screeds incl. synthetic resin coatings on floorings and wall coatings (interior): compliant with Committee for Health-related Evaluation of Building Products scheme (AgBB Germany) and GISCODE RE05, RE10, RE20, RE30, RE40, or RE50
<b>Proposal for assignment: LCA calculation values for QNG Sustainable Building Certification</b>	6.3 Synthetic resin screed	

<b>Bewertungssystem Nachhaltiges Bauen (German Assessment System for Sustainable Building, BNB for short)</b>		
<b>BNB_BN 1.1.6, Version 2015</b>	Product group:	No. 19: Epoxy resin coatings – including in system buildups for single-component and two-component systems
	Quality level:	Meets quality level 5 – Compliant with Committee for Health-related Evaluation of Building Products scheme (AgBB Germany) and TVOC ≤ 250 µg/m <sup>3</sup> after 28 days, and GISCODE RE1, RE0

### Minergie-ECO / ecobau

<b>Ecobau classification</b>	Swiss environment label:	
	Report number:	
	Ecobau:	Eco2
	Ecobau:	(Ecobau methodology for construction materials 2025/V01)
	Ecobau:	
	Report number:	

### Leadership in Energy and Environmental Design (LEED v. 4.1)

<b>VOC content (EQ Credit: Low-emitting materials)</b>	0 g/l (Without water) calculated according to the SCAQMD METHOD 304-91 (5.1) Met in accordance with LEED v4	
<b>VOC emissions (EQ Credit: Low-emitting materials)</b>	Limit value:	In accordance with the Committee for Health-related Evaluation of Building Products (AgBB Germany)
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>SVOC emissions (EQ Credit: Low-emitting materials)</b>	Limit value:	In accordance with the Committee for Health-related Evaluation of Building Products (AgBB Germany)
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>Formaldehyde emissions (EQ Credit: Low-emitting materials)</b>	Limit value:	≤ 0.01 mg/m <sup>3</sup>

**Leadership in Energy and Environmental Design (LEED v. 4.1)**

	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>Recycling percentage (post-consumer recycled content) (MR Credit: Sourcing of raw materials)</b>	0 %	
<b>Recycling percentage (pre-consumer recycled content) (MR Credit: Sourcing of raw materials)</b>	0 %	
<b>Renewable raw materials (bio-based materials) (MR Credit: Sourcing of raw materials)</b>	0 %	

**Building Research Establishment Environmental Assessment Method (BREEAM)**

<b>VOC content (EQ Credit: Low-emitting materials)</b>	0 g/l (Without water) calculated according to the SCAQMD METHOD 304-91 (5.1) Met in accordance with BREEAM	
<b>VOC emissions (Hea 02: indoor air quality)</b>	Limit value:	≤ 0.3 mg/m <sup>3</sup>
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>SVOC emissions (Hea 02: indoor air quality)</b>	Limit value:	

**Building Research Establishment Environmental Assessment Method (BREEAM)**

	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>Formaldehyde emissions (Hea 02: indoor air quality)</b>	Limit value:	
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>CMR emissions (Hea 02: indoor air quality)</b>	Limit value:	$\leq 0.001 \text{ mg/m}^3$
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2

**EU Taxonomy Regulation (EU) 2020/852**

<b>Compliant with Annex C</b>	Met	
<b>Note</b>	This statement is based on the formulation data of Sto SE & Co. KGaA and information from our upstream suppliers.	
<b>Formaldehyde emissions</b>	Limit value:	
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2

### EU Taxonomy Regulation (EU) 2020/852

<b>Other carcinogenic VOCs in categories 1A and 1B (CMR)</b>	Limit value:	≤ 0.001 mg/m <sup>3</sup>
	Degree to which requirements are met:	Met
	Test institute:	TÜV Proficert PREMIUM
	Report type:	System test report
	Report number:	70 710 5715-2
<b>Compliant with minimum social requirements (human rights, German Supply Chain Due Diligence Act, etc.)</b>	<a href="https://www.stocretec.de/s/unternehmen/compliance">https://www.stocretec.de/s/unternehmen/compliance</a>	

### Eco-labels and environmental labels

<b>Eco-label, certificates</b>		
<b>ISO certification 9001, 14001, 50001</b>	<a href="https://www.stocretec.de/s/unternehmen/managementsysteme">https://www.stocretec.de/s/unternehmen/managementsysteme</a>	
<b>Environmental Product Declaration (EPD)</b>	EPD-DBC20220174-IBF1-EN	
<b>Product-specific working life (in accordance with BNB service life table)</b>	Years:	30 years
	Application range:	Interiors
<b>Product-specific working life (in accordance with EPD)</b>	Years:	> 50 years
	Application range:	Interiors
<b>GISCODE</b>	See SDS (section 15)	

### Product ingredients

<b>Organic component (in accordance with natureplus / baubook)</b>	>5%
<b>Hazardous substances (in accordance with EU regulations)</b>	See SDS (section 3)

<b>CMR substances (VOC)</b>	Present (in accordance with DIN EN ISO 17895)	
<b>VOC content (in accordance with Directive 2004/42/CE)</b>	0 g/l	
<b>Solvent (in accordance with VdL Directive 01)</b>	Content:	< 700 mg/kg Solvent-free
	Base:	According to formulation evaluation
<b>Plasticiser (in accordance with VdL Directive 01)</b>	Content:	< 500 mg/kg Plasticiser-free
	Base:	According to formulation evaluation
<b>Free formaldehyde (in accordance with VdL Directive 01)</b>	Content:	< 2 mg/kg Formaldehyde-free
	Base:	According to formulation evaluation
<b>Biocide(s), active substance(s) for protection of the coating (in accordance with Regulation (EU) No 528/2012)</b>	Not present	
<b>Biocide(s), active substance(s) for protection of the product during storage (in accordance with Regulation (EU) No 528/2012)</b>	Not present	
<b>Heavy metals</b>	Not assessed	
<b>Compliant with the emissions restrictions of the titanium dioxide industry (in accordance with Directive 2010/75/EU and 25th Ordinance for the Implementation of the Federal Immission Control Act)</b>	Yes	
<b>SVHC in accordance with the REACH chemicals regulation (EC/1907/2006), Annex XIV</b>	Content:	<0,1%
	Base:	According to formulation evaluation

## Carbon footprint

<b>A1-A3 (cradle to gate – manufacturing)</b>	3.8 kg CO <sub>2</sub> e / kg
<b>A4 (transport from manufacturer to site)</b>	0.054 kg CO <sub>2</sub> e / kg
<b>A1-C4 (cradle to grave – life cycle)</b>	4.628 kg CO <sub>2</sub> e / kg
<b>D (Benefits and loads beyond the system boundary)</b>	-0.373 kg CO <sub>2</sub> e / kg
<b>A1-D (cradle to cradle – life cycle including benefit)</b>	4.255 kg CO <sub>2</sub> e / kg

## Disposal, reuse, recycling

<b>Recycling of site residue</b>	See SDS (section 13)
<b>Recycling of dismantled building material</b>	Can be reworked
	See Environmental Product Declaration (EPD)
<b>Recycling of packaging material</b>	Can be reused or recycled
	See <a href="https://www.stocretec.de/s/service-tools/entsorgung">https://www.stocretec.de/s/service-tools/entsorgung</a>
<b>Circular economy at StoCretec</b>	<a href="https://www.stocretec.de/s/nachhaltigkeit/kreislaufwirtschaft">https://www.stocretec.de/s/nachhaltigkeit/kreislaufwirtschaft</a>

## Corporate responsibility at StoCretec

<b>Guiding principles, management of the company</b>	StoCretec's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: <a href="http://www.stocretec.de">www.stocretec.de</a>
<b>UN Global Compact - membership</b>	StoCretec is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: <a href="http://www.unglobalcompact.org">www.unglobalcompact.org</a>
<b>Supplier code of conduct</b>	<a href="https://www.stocretec.de/cepcom/stocretec/Dokumente/nachhaltigkeit/Compliance/Sto-Supplier-Code-of-Conduct_01_12_23_DE.pdf">https://www.stocretec.de/cepcom/stocretec/Dokumente/nachhaltigkeit/Compliance/Sto-Supplier-Code-of-Conduct_01_12_23_DE.pdf</a>

## Notes

<b>Version</b>	07
----------------	----

**Creation and use**

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet. Formulations are subject to change!